

INDEX TO VOLUME LI

INDEX TO AUTHORS AND TITLES

- Ahmadjian, Vernon.** A contribution toward lichen synthesis 56
- Ajello, Libero.** A new *Microsporum* and its occurrence in soil and on animals 69
- Al-Ani, H.** See Al-Doory, Tolba, and Al-Ani 429
- Al-Doory, Yousef.** Myxomycetes from Iraq 299
- , The effect of various substances on the oxygen uptake of *Rhizopus oryzae* 851
- , M. K. Tolba, and H. Al-Ani. On the fungal flora of Iraqi soils. II. Central Iraq 429
- Baker, Thomas J.** See Peterson and Baker 453
- Bandoni, Robert J.** An undescribed species of *Platyglœa* from Iowa 94
- Batra, Lekh R.** A comparative morphological and physiological study of the species of *Dipodascus* 329
- Baxter, John W.** A monograph of the genus *Uropyxis* 210
- , Notes on labiate rusts 598
- Bell, T. A.** See Raymond, Etchells, Bell, and Masley 492
- Benjamin, C. R. and C. W. Hesseltine.** Studies on the genus *Phycomyces* 751
- , See Christensen, Papavizas, and Benjamin 636
- , See Hesseltine and Benjamin 887
- , See Hesseltine, Benjamin, and Mehrotra 173
- Berry, Charles R.** Factors affecting parasitism of *Piptopezalis virginiana* on other *Mucorales* 824
- Bistis, G. N.** Pleomorphism in the dermatophytes 440
- Bonner, R. D., and C. L. Fergus.** The fungus flora of cattle feeds 855
- Bradley, S. Gaylen.** Cross-resistance patterns of mutants resistant to *Streptomyces* phages 125
- , Host-selected variation in *Streptomyces* phage 9
- Carmo-Sousa, Lidia do.** See Uden and Carmo-Sousa 595
- Cash, Edith K.** See Thind, Cash, and Singh 457, 833
- Christensen, C. M., G. C. Papavizas, and C. R. Benjamin.** A new halophilic species of *Eurotium* 636
- Couch, John N.** See Miller and Couch 146
- Cutter, Victor M., Jr.** Studies on the isolation and growth of plant rusts in host tissue cultures and upon synthetic media. I. *Gymnosporangium* 248
- Denison, William C.** Some species of the genus *Scutellinia* 605
- DeVay, J. E.** See Zweig and DeVay 877
- Dick, Esther A.** See Snell, Singer, and Dick 564
- Dixon, G. J.** See Johnson and Dixon 647
- Drechsler, Charles.** Several *Zoopagaceae* subsisting on a nematode and on some terricolous amoebae 787
- Durrell, L. W.** Some studies of *Emericellopsis* 31

- Edward, J. C. A new genus of the Moniliaceae 781
- Emmons, Chester W. Fungus nuclei in the diagnosis of mycoses 227
- Etchells, J. L. See Raymond, Etchells, Bell, and Masley 492
- Farr, Marie L. *Stemonitis brasiliensis* and *Badhamia iowensis*—a correction 598
- Fennell, Dorothy I., and J. H. Warcup. The ascocarps of *Aspergillus alliaceus* 409
- Fergus, Charles L. The influence of environment upon germination and longevity of aeciospores and urediospores of *Coleosporium solidaginis* 44
— See Bonner and Fergus 855
- Fidalgo, Maria Eneyda Pacheco Kauffmann. Note on *Xerotus afer* Fr. 51
- Frey, D. Isolation of a new species of *Aleurisma* from soil in Australia and New Guinea 641
- Gillis, William T. Subterranean *Elaphomyces* and *Rhizopogon* in the Michigan jack-pine region 364
- Gold, Harvey S. See Johnson and Gold 89
- Goos, Roger D. Spermatium-trichogyne relationship in *Gelasinospora calospora* var. *autosteira* 416
- Graham, Shirl O. The effects of various reagents, mounting media, and dyes on the teliospore walls of *Tilletia contraversa* Kühn 477
— See Kondo, Graham, and Shaw 368
- Hardison, John R. Evidence against *Fusarium poae* and *Siteroptes graminum* as causal agents of silver top of grasses 712
—, J. P. Meiners, J. A. Hoffmann, and J. T. Waldher. Susceptibility of Gramineae to *Tilletia contraversa* 656
- Hervey, Annette. See Robbins and Hervey 356
- Hesseltine, C. W., and C. R. Benjamin. Microbiological production of carotenoids. VI. Some factors affecting sporulation and growth in the *Choanephoraceae* 887
—, —, and B. S. Mehrotra. The genus *Zygorhynchus* 173
— See Benjamin and Hesseltine 751
- Hoffmann, J. A. See Hardison, Meiners, Hoffmann, and Waldher 656
- Jackson, Curtis R., and George F. Weber. Morphology and taxonomy of *Alternaria cucumerina* 401
- Johnson, G. T. The Trypetheliaceae of Mississippi 741
—, and G. J. Dixon. Oxygen-uptake studies on glucose-grown and fatty-acid-exposed fungus cells 647
- Johnson, T. W., Jr., and Harvey S. Gold. A system for continual-flow seawater cultures 89
- Kondo, W. T., S. O. Graham, and C. G. Shaw. Modifications of the cellophane culture technique for photographing and preserving reference colonies of microorganisms 368
- Korf, Richard P. Nomenclatural Notes. III. *Chlorociboria* vs. *Piceomphale* 298
- Kuehn, Harold H. A preliminary survey of the Gymnoasceae. II. 665
—, and G. F. Orr. Observations on Gymnoasceae. VI. A new species of *Arachniotus* 864
- Leppik, E. E. Some viewpoints on the phylogeny of rust fungi. III. Origin of grass rusts 512
- Lingappa, Yamuna. Sexuality in *Physoderma pulposum* Wallroth 151
- Lowry, R. J. See Sussman, Lowry, and Tyrrell 237

- Lowy, Bernard.** New or noteworthy Tremellales from Bolivia 840
- Luedemann, George M.** The dictyochlamydospore of *Peyronellaea glomerata* (Corda) Goidanich ex Togliani contrasted with the dictyoporospore of *Alternaria tenuis* Auct. 772
- Luttrell, E. S., and Clark T. Rogerson.** Homothallism in an undescribed species of *Cochliobolus* and in *Cochliobolus kusanoi* 195
- Martin, G. W., K. S. Thind, and P. S. Rehill.** The Myxomycetes of the Mussoorie Hills (India). X. 159
- Marwin, R. M.** Survey of surface-active culture additives for growth of pathogenic human fungi 61
- Masley, P. M.** See Raymond, Etchells, Bell, and Masley 492
- McKay, Hazel H.** Cultural basis for maintaining *Polyporus cinnabarinus* and *Polyporus sanguineus* as two distinct species 465
- Mehrotra, B. S.** See Hesseltine, Benjamin, and Mehrotra 173
- Meiners, J. P.** See Hardison, Meiners, Hoffmann, and Waldher 656
- Meyers, Samuel P., and E. S. Reynolds.** Effects of wood and wood products on perithecial development by lignicolous marine Ascomycetes 138
- See Moore and Meyers 871
- Miller, Charles E., and John N. Couch.** Lyophilization of the Actinoplanaceae 146
- Moore, Royall T.** *Scheleobrachea* Hughes 300
- The genus *Berkleasium* 734
- , and Samuel P. Meyers. Thalassiomycetes I. Principles of delimitation of the marine mycota with the description of a new aquatically adapted deutero-mycete genus 871
- Nelson, R. R.** Genetics of *Cochliobolus heterostrophus*. I. Variability in degree of compatibility 18
- Genetics of *Cochliobolus heterostrophus*. II. Genetic factors inhibiting ascospore formation 24
- Genetics of *Cochliobolus heterostrophus*. III. Genetic factors inhibiting ascus formation 132
- Orr, G. F., and O. A. Plunkett.** A new species of *Absidia* from California 203
- See Kuehn and Orr 864
- Papavizas, G. C.** See Christensen, Papavizas, and Benjamin 636
- Petersen, R. H.** A new species of *Mastigospodium* from tropical soil 729
- Peterson, John E.** A monocystic genus of the Myxobacterales (Schizomycetes) 1
- New species of Myxobacteria from the bark of living trees 163
- , and Thomas J. Baker. An isolate of *Fusarium roseum* from human burns 453
- Phaff, H. J.** See Shifrine and Phaff 318
- Plunkett, O. A.** See Orr and Plunkett 203
- Raper, John R.** *Schizophyllum umbrinum* Berkeley in culture 474
- Sexual versatility and evolutionary processes in fungi 107
- Raymond, F. L., J. L. Etchells, T. A. Bell, and P. M. Masley.** Filamentous fungi from blossoms, ovaries, and fruit of pickling cucumbers 492
- Rehill, P. S.** See Martin, Thind, and Rehill 159
- Reynolds, E. S.** See Meyers and Reynolds 138
- Rippon, John W., and George H. Scherr.** Induced dimorphism in dermatophytes 902

- Robbins, William J., and Annette Hervey.** Wood extract and growth of *Morchella* 356
- Rogers, D. P.** On *Cicinobolus* 96
- Rogerson, Clark T.** See Luttrell and Rogerson 195
- Samborski, D. J.** See Tinline and Samborski 77
- Savile, D. B. O.** Two little-known Ascomycetes attacking Filicales 296
- Scherr, George H.** See Rippon and Scherr 902
- Schnathorst, W. C.** Heterothallism in the lettuce strain of *Erysiphe cichoracearum* 708
- Shaw, C. G.** See Kondo, Graham, and Shaw 368
- Shifrine, M., and H. J. Phaff.** Nutritional requirements of *Saccharomycopsis guttulata* (Robin) Schönning 318
- Singer, Rolf.** New and interesting species of Basidiomycetes. VI. 375
 —. New and interesting species of Basidiomycetes. VII. 578
 —. See Snell, Singer, and Dick 564
- Singh, Pritam.** See Thind, Cash, and Singh 457, 833
- Snell, Walter H., Rolf Singer, and Esther A. Dick.** Notes on boletes. XI. 564
- Snider, Philip J.** Stages of development in rhizomorphic thalli of *Armillaria mellea* 693
- Stein, Sam I.** Clinical observations on the effects of *Panaeolus venenosus* versus *Psilocybe caeruleus* mushrooms 49
- Sussman, A. S., R. J. Lowry, and E. Tyrrell.** Activation of *Neurospora* ascospores by organic solvents and furans 237
- Thiers, Harry D.** The agaric flora of Texas. III. New taxa of brown- and black-spored agarics 529
- Thind, K. S., Edith K. Cash, and Pritam Singh.** The Helotiales of the Mussoorie Hills—II 833
 —, —, and —. The Pezizaceae of the Mussoorie Hills (India)—VII. 457
 —. See Martin, Thind, and Rehill 159
- Tinline, R. D., and D. J. Samborski.** *Cochliobolus sativus*. II. Photo-activated pigmentation 77
- Tolba, M. K.** See Al-Doory, Tolba, and Al-Ani 429
- Tyrrell, E.** See Sussman, Lowry, and Tyrrell 237
- Uden, N. van, and Lidia do Carmo-Sousa.** Some physiological properties of *Geotrichum candidum* 595
- Waldher, J. T.** See Hardison, Meiners, Hoffmann, and Waldher 656
- Warcup, J. H.** See Fennell and Warcup 409
- Weber, George F.** See Jackson and Weber 401
- Wells, Kenneth.** Studies of some Tremellaceae. III. The genus *Bourdotia* 541
- Wilson, Charles L.** Penetration and invasion of *Ceratocystis piceae* in white oak wood 311
- Zweig, Gunter, and J. E. DeVay.** On the biosynthesis of gibberellins from carbon-14-substrates by *Fusarium moniliforme* 877

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

- Abraham, E. P.** Biochemistry of Some Peptide and Steroid Antibiotics; review 100
- Cochrane, Vincent W.** Physiology of Fungi; review 303

- Cook, A. H. The Chemistry and Biology of Yeasts; review 306
 Copeland, Herbert F. The Classification of Lower Organisms; review 101
 Guyot, A. L. Les Urédinées. Tome III. Genre Uromyces; review 307
 Michael/Hennig Handbuch für Pilzfreunde; review 602
 Mycologie Médicale; review 304
 Mycological Papers (Commonwealth Mycological Institute); notice 308
 Pilát, A., and O. Ušák. Naše Houby II. Kritické Druhy Našich Hub (Our Mushrooms II); review 603
 Riddell, R. W., and G. T. Stewart. Fungous Diseases and their Treatment; review 104
 St. John, Harold. Nomenclature of Plants; review 100
 Segretain, G., E. Drouhet, and F. Mariat. Diagnostic de Laboratoire en Mycologie Médicale; review 603
 Sparrow, Arnold H., John P. Binnington, and Virginia Pond. Bibliography on the Effects of Ionizing Radiations on Plants; review 99
 Stakman, E. C., and J. George Harrar. Principles of Plant Pathology; review 103

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

- Absidia 203-209, 751, 755; blakesleana 203; corymbifera 203, 207; **cuneospora** 203-208; cylindrospora 203, 207; orchidis 828; spinosa 207
 Acaulopage 799, 801, 806; acanthospora 813; acanthospora var. magna 813; baculispora 807; cercospora 805, 806; crobylospora 809; dactylospora 813; dasyspora 813; gomphoclada 805, 806; gyrinodes 805, 806; hystricospora 813; ischnospora 806, 807, 809, 817; ischnospora var. **pleacra** 806-809; lasiospora 813; rhinospora 807; stenospora 807; **tenuicornis** 802-807; tetraceros 817; **trachyspora** 810, 811-815
 Achlya 112; ambisexualis 112; bisexualis 112
 Achorion gypseum 446, 671
 Achroomyces disciformis 96; tumidus 96
 Acremonium 42
 Acrophialophora 783, **784**, 785; **nainiana** 782-784, 785
 Acrothecium apicale 435; robustum 435
 Actinospora 676, 677; chartarum 679
 Acurtis **sericeus** 587; sericeus subsp. **antarcticus** 585, **587**, 588
 Aecidium amorphae 214
 Agaricus 587; austini 383; bisporus 361; campestris 693; chrysophyllus 380; melleus 695; placomyces 539; placomyces var. **flavescens** 538, 539; siemophyllus 395; siligineus 395; silvaticus 539
 Agrocybe aegerita 398; firma var. firma 398; firma var. **tucumana** 398, 399; **xerophytica** 389, **399**, 400
 Aleuria aurantia 621
 Aleurisma 642; carnis 642; **keratophilum** 641-645
 Allodus mellifera 600
 Allomyces 112
 Alternaria 370, 373, 401, 402, 432, 433, 435, 438, 502, 510, 772-778, 795, 873; brassicae 403; brassicae f. nigrescens 401-403, 406-408; brassicae var. nigrescens 402, 403, 407; cucumerina 401-408; cucurbitae 401; fasciculata 435; fumaginoides 773; geophila 435; grisea 435; hominis 773; humicola 435; nigrescens 403, 407, 408; polymorpha 773; solani 859, 860, 894; tenuis 435, 498, 502, 503, 505, 509, 510, 772-774, 859, 860
 Amanita **aestivalis** 390-392; bisporigera 392; brunescens 390-392; phalloides 392; verna 390, 392; virosa 392
 Amoebophilus caudatus 797; korotneffi 797; penardi 794, 796; **sicyosporus** 790-799, 801
 Ampelomyces 96-98; quisqualis 96-98
 Angiococcus 171; cellulosum 171; disciformis 171; **moliroseus** 165, 169-171
 Angiopsora 513

- Antennospora 873; quadricornuta 138, 140-142
 Anthracobia 611; melaloma 633
 Anthracophyllum 51, 53
 Apletosoma microsporum 818
 Aposphaeria 772
 Arachniotus 675, 864-870; aureus 864, 870; candidus 864, 870; **flavoluteus** 864-870; reticulatus 864, 870; ruber 864, 870; terrestris 858, 860
 Archangium 3
 Arenariomyces 873; salinus 139-142
 Armillaria 117; mellea 117, 693-707
 Armillariella 380
 Arrhytidia involuta 847; involuta var. **boliviensis** 847
 Ascobolus 118, 119, 630; barbatus 618, 630; denudatus 630; stercorarius 118, 426
 Ascocytha 499, 502, 510, 772; cucumis 498, 502, 505, 509, 510
 Ascocybe 858
 Ascoidea 331, 332
 Ascophanus 457, 463; granulatus 462; **striatus** 460-463
 Aspergillus 372, 409-415, 432-434, 438, 502, 636, 640, 855; alliaceus 409 415; chevalieri 858, 862; citrisporus 409, 414; elegans 499; fischeri 414; flavus 245, 409, 435, 859, 862; fumigatus 413, 435, 499, 859, 862; glaucus 413, 414; **halophilicus** 637, **638**, 640; koningi 435; luchuensis 435; nidulans 111, 116, 413, 414, 858-862; niger 115, 435, 499, 859; ochraceus 435; ornatus 409, 414; oryzae 859; panamensis 435; restrictus 636, 640; sparsus 435; sydowi 499; tamarii 409, 414, 435; terreus 435, 499, 859, 862; unguis 499; ustus 435, 859, 860; versicolor 499; wentii 409, 414, 415, 435
 Auricularia auricula 843, 845; auricularis 845; cornea 843, 845; delicata 841; fuscouscinea 841, 843; mesenterica 843-845; ornata 843-845; pelata 844, 845; polytricha 841-845
 Badhamia gracilis 300; iowensis 598
 Bartalinia 433, 435
 Basidiobolus 819, 903
 Basidioidendron 545; luteo-griseum 555-557
 Bathelium mastoideum 743
 Bellospora helioides 793, 794
 Berkleasium 734-739; concinnum 735, 736; conglobatum 735, 736; **corticola** 735, 736, 739; granulatum 735, 737; **lingula** 735, 736, 737; **minutissimum** 735, 736, 737; **moriforme** 735, 736, 737; **opacum** 735-738; **triglochinis** 735, 738; **vogelianum** 735, 738
 Blakeslea 889, 897-899; trispora 888-895, 898
 Blastomyces 227, 230, 234, 236, 902; dermatitidis 65-68, 227, 230, 232
 Bolbitius **tucumanensis** 398
 Boletellus 575-577; mirabilis 577; russellii 564; **zelleri** 575, 577
 Boletinus 590, 591; cavipes 590; pictus 564
 Boletus 576, 577, 590; chrysenteron 575, 577; edulis subsp. clavipes 564; flavi-porus 591; griseus subsp. griseus 564; halopus 573; hirtellus var. mutans 570; luridus 564; pallidus 564; rubellus subsp. fraternus 564; speciosus 564; subvelutipes 564; tomentosus 570; turbinatus 577; vermiculosus 564; zelleri 575
 Bombardia lunata 416, 426
 Botrytis 686, 687; cinerea 245; murina 687; tenella 670
 Bourdotia 541-563; 846; **aspera** 545, 549, **550**, 551; **burtii** 545, **549**, 550; caesia 546; caesio-cinerea 543, 544, 546, 552-555, 557; cinerea 543-545, 552, 560, 562; cinerella 552; deminuta 555, 557; eyrei 543, 544, 546, 553-557, 559, 562; galzinii 541-548; grandinioi-des 543, 544, 546, 554, 557-560; mucosa 555, 557; **obscura** 546, 554, **559**, 560; petiolata 543-545, 547-550, 562; **pini** 545, 549, **551**; pululahuana subsp. caesia 546; pululahuana subsp. galzinii 546; rimulenta 555, 557; **spinosa** 546, 554, **555**
 Byssochlamys 672, 675; nivea 673, 676
 Byssocystis 96-98; textilis 96, 97
 Byssus olivacea 753, 757
 Calcarisporium parasiticum 825
 Calliospora 214; diphycae 214; farlowii 222; holwayi 220; petalostemonis 222, 223
 Calocera coralloides 847
 Calycina petiolorum 839
 Campsotrichum 686, 687; bicolor 687; unicolor 687
 Candida albicans 64, 66-68, 326, 858, 862, 903, 910, 911; bovina 326; humicola 858, 862; krusei 858, 862; slooffii 326
 Cephalosporium 31, 42, 370, 373, 433, 499, 502; acremonium 435; asperum 435; curtipes 435; kilianense 859-862; roseo-griseum 435; salmosyncnematum 31, 32, 34-36, 39, 40
 Cephalotheca 675, 676; sulfurea 507, 676
 Ceratocystis 311, 315; piceae 311-317
 Cercospora 499, 502; apii 903
 Ceriomyces zelleri 575
 Ceriosporopsis 873; halima 93, 138, 141, 142
 Chaetomella 435

- Chaetomium 435, 502, 676, 686, 687;
chartarum 676; depressum 676; fie-
heri 676; globosum 142, 143, 498, 502,
504; olivaceum 858-862; trilaterale
435
Cheilymenia 608, 611, 613, 631; copri-
naria 633; dalmeniensis 631, 633; pul-
cherrima 633; scubalonta 633; stercor-
ea 633; theleboloides 633
Chlamydomyces palmarum 859
Chlorociboria 298, 299
Chlorosplenium 299; chlora 299
Choanephora 502, 888, 889, 897-899;
circinans 889-899; conjuncta 888-894,
898; cucurbitarum 498, 502, 825, 826,
831, 887-899; infundibulifera 887, 889;
simsoni 887
Choanephoroidea cucurbitae 888
Chondromyces muscorum 164
Chromocrea 114, 117
Cicinobolus 96; cesatii 96-98
Cicinobolus 96-98; florentinus 96, 97
Ciliaria 605, 611, 612; asperior 616, 632;
lusitiae 623; scutellata 623; trechi-
spora 617; umbrorum 626
Circinella umbellata 858
Circinnobolus 96
Circinobolus 96
Cladosporium 433, 503, 507, 510; clado-
sporioides 497, 499, 503, 505, 509, 510;
cucumerinum 503; elatum 859; ful-
vum 86; herbarum 859, 862; mansonii
903, 906-912; trichoides 903
Cladotrichum foliolum 678, 686
Cleptomycetes 225
Clitocybe xanthophylla 380
Coccidioides 228, 230, 236; immitis 228,
229
Coccomyces hiemalis 426
Cochliobolus 195-202; boutelouae 201;
heterostrophus 18-23, 24-30, 132-137,
195, 199-202; **homomorphus** 195-
202; kusanoi 195, 198-202; miyabe-
anus 201; nodulosus 195, 199-202;
sativus 27, 77-88, 195, 200, 201, 416;
setariae 201; sporoboli 201; steno-
spilus 200, 201; tritici 201
Cochlonema 797, 821; **cerasphorum**
815-818; euryblastum 817, 818; pu-
mulum 819-821
Coleosporium solidaginis 44-48
Collema 426
Colletotrichum 370, 503; lagenarium
499, 503
Conidiascus 331
Coniothecium 772; scabrum 775
Coniothyrium 772
Conocybe 530; **ambigua** 389, 393-395;
antipoda 530; antipoda var. **humicola**
529, 530; brunneola 395; **cylindracea**
395; **halophila** 389, 397, 398; **macro-**
cephala 395; **mesospora** 395; **ochra-**
cea 395-397; ochracea f. cinerascens
396; plumbeitincta 395-397; rickeni-
ana 395; **semiglobata** 395; sienophylla
395; siliginea 393-398; siliginea f.
bispora 397; siliginea var. ambigua
393, 394; siliginea var. ocracea 395;
spicula 395; **spiculoides** 395; tenera
395; teneroides 530
Conoplea atra 679; hispidula 685
Coprinus 537; sect. Farinosi 537; co-
matus var. **texensis** 535; curtus 537;
pseudoradiatus 538; **subangularis**
537; **subcurtus** 536
Coprobia 611
Cordyceps 364; capitata 367
Coriolus sanguineus 465
Corticium caesio-cinereum 552; involu-
crum 555; solani 693
Cortinari 531, 532; subg. Myxaciaceum
sect. Clavati 531; subg. Myxaciaceum
sect. Splendidi 532; **acystidiosus** 530;
paliformis 531
Crepidotus 587; applanatus 586; **har-**
peri 579, 585, **586**; quitensis 586
Cronartium 46, 282; coleosporioides 44;
fusiforme 44; ribicola 44, 47
Cryptococcus albidus 858, 862; neofor-
mans 64, 66-68, 227, 234, 235
Ctenomyces 642
Culcitalna achraspora 873
Cumminsella 210, 226, 524
Cunninghamella 433, 435, 503; berthol-
letiae 435; echinulata 435, 498, 503;
mandshurica 887
Curvularia 503; lunata 435; pallens
435; tetramera 435; trifolii 499, 503
Cystobacter simplex 3
Cystopage cladospora 802; ellipsospora
802; intercalaris 802; lateralis 801;
sacciformis 798, **799**-802; sphaero-
spora 802; subtilis 801
Cystospora 520
Dacrymyces 95
Dacryopinax 848, 849; elegans 849;
fissus 849; **imazekiana** 848; **inda-**
cocheae 842, **848**; spathularia 849;
yungensis 842, **849**
Dactylium dendroides 859
Daedalea 51
Daedaleopsis 51
Dasturella 513, 526
Deconica 582, 583
Delicatula 381, 382
Dematium fuscum 686; olivaceum 679
Dendryphium resinae 688
Desmella 519, 520
Dicranophora 173
Dictyuchus 108
Diderma 159
Didymium 162; **floccosum** 160-162;
iridis 300

- Diorchidium* 225; *steudneri* 213
Dipodascus 329-355; *aggregatus* 329-352; *albidus* 329-352; *albidus f. minor* 331, 332, 351, 352; *uninucleatus* 329-351
Ductifera 543, 547, 846; *calcareae* 845; *sucina* 546
Eidamella deflexa 667, 669, 677, 681, 685-687
Elaphomyces 364-367; *anthracinus* 364, 365, 367; *cervinus* 365; *granulatus* 364, 365, 367
Emericella 414
Emericellopsis 31-42; *humicola* 31-41; *minima* 31-42; *mirabilis* 31-42; *salmosynnemata* 31-35, 39-42; *terricola* 31-42; *terricola var. glabra* 31-35, 39-41
Endocochlus binarius 795
Eocronartium muscicola 520
Epicoecum 301; *granulatum* 859
Epidermophyton floccosum 65-68
Eremothecium ashbyi 326
Eriosporella 875
Erysiphe cichoracearum 708-711; *graminis* 710; *graminis hordei* 708; *graminis tritici* 708
Eurotium 414, 636-640; *halophilicum* 636-640
Euryancale marsipospora 787-790; *sacciospora* 790
Exidia 846; *nucleata* 846
Exidiopsis 541, 542, 550, 561; *fuliginea* 542, 560; *grisea* 560, 561; *mucedinea* 542, 560; *sublilacina* 94
Fomes 624
Fumago 435
Fusarium 34, 312, 372, 432-434, 438, 454, 456, 497, 499, 503, 505, 509, 510; sect. *Arthrosporiella* 456; sect. *Discolor* 456; sect. *Gibbosum* 456; sect. *Roseum* 456; *angustum* 435; *bostrycoides* 435; *chlamydosporum* 435; *coeruleum* 435; *conglutinans* 435; *dimmerum* 435; *episphaeria* 499; *equiseti* 435; *lactis* 435; *lini* 435; *merismoides* 435; *moniliiforme* 371, 499, 859-862, 877-886; *moniliiforme var. minus* 436; *neoceras* 436; *nivale* 436; *orthoceras* 436; *oxysporum* 116, 454, 499, 503, 505, 510; *poae* 436, 712-728; *redolens* 436; *roseum* 453-456, 499, 503, 505, 510; *sambucinum* 436; *solani* 499, 503, 505, 510; *sporotrichioides* 436; *trichothecioides* 436; *tricinctum f. poae* 715; *vasinfectum var. zonatum* 436
Galera 392, 395, 398; *ambigua* 393; *kellermanii* 392; *siemophylla f. cinerascens* 395; *siliginea* 395; *versicolor* 398
Galerina 531; *autumnalis f. robusta* 534
Galerula kellermanii 392; *plumbeitincta* 395-397
Ganoderma applanatum 609
Gastroboletus 577
Gelasinospora 245, 426, 427; *adjuncta* 419; *calospora var. autosteiira* 416-428; *cerealis* 436
Geotrichum 499, 503; *candidum* 595-597, 858; *pulmonum* 595
Gerronema 378-380; sect. *Xanthophylli* 380; *angustifolium* 379; *chrysophyllum* 380; *cyathiforme* 380; *depauperatum* 379; *elasticum* 379; *icterinum* 380; *macrosporium* 380; *melanomphax* 379; *stuckertii* 380; *subchrysophyllum* 380; *subpallidum* 378
Gerwasia 520
Gladiolium 433, 503, 506; *catenulatum* 436; *fimbriatum* 436; *penicilloides* 436; *roseum* 436, 499, 503, 859, 860; *virens* 506
Gloeocystidium caesio-cinereum 552; *croceo-tingens* 555; *eyrei* 555
Gloeophyllum 51-54; *sepiarium* 54
Gloeosporium 370
Gloeotromera 846
Glomerella 108, 114, 117, 370; *cingulata* 111, 132, 133
Gomphidius glutinosus 589; *ochraceus* 588; *ochraceus subsp. muscigenus* 588; *rutilus* 588; *septentrionalis* 588, 589; *superiorensis* 588, 589; *vinicolor* 588, 589
Gonytrichum caesium 685
Guepinia imazekiana 848
Gymnascella aurantiaca 675, 685
Gymnoascus 665-676, 683; *aurantiacus* 675, 685; *bourquelotii* 667, 674; *brevisetosus* 666, 669; *caltrop* 681; *confluens* 666, 667, 672, 673; *durus* 675; *eidami* 675; *flavus* 667, 674; *gypseus* 666, 671, 672; *luteus* 675; *myriosporus* 666, 671; *ossicola* 666, 673, 674; *racovitzae* 666, 671; *reessii* 665-669, 677, 682, 685; *reessii var. deilephillae* 669; *reticulatus* 666, 673; *setosus* 665, 667; *stipitatus* 666, 669, 670; *subumbrinus* 436, 666, 670; *sudans* 676; *umbrinus* 666, 670; *uncinatus* 676, 681; *verticillatus* 666-668; *zuffianus* 666, 673
Gymnopilus aeruginosus 534; *luteoviridis* 533
Gymnosporangium 248-295; 514, 517-526; *bermudianum* 290; *clavariiforme* 249, 253, 255, 288; *clavipes* 253, 255, 279, 282, 287-290; *globosum* 250, 253, 269, 276, 287-290, 293; *juniperi-virginianae* 249, 250, 253, 258-292
Gymnotelium 514, 524, 525
Gyrodont merulioides 564

- Gyroporus castaneus 564; cyanescens 564
- Haploangium** 1, 2, 3, 7, 8; **minor** 2, 4, 5, 7, 8; **ochraceum** 2, 3, 7, 8; **Haploangium** 1, 2, 3, 7, 8; **minor** 2, 7, 8
- Haplographium bicolor 436
- Haplosporangium decipiens 858, 862
- Helicogonium 332
- Helicoma macrocephala 93
- Helicostylum 826-828, 831, 832
- Helminthosporium 77, 78, 84, 86, 88, 195, 196, 433, 499, 503; subg. Cylindro-Helminthosporium 77, 84; subg. Eu-Helminthosporium 77, 84, 86; anomalum 436; avenae 84; carbonum 79, 80, 84; cyclops 84; dictyoides 84; erythrospilum 84; gramineum 84, 85; halodes 84; **homomorphus** 195, 201; inconspicuum 371; kusanoi 84; leptochloae 84; maydis 18, 24, 84; monoceras 84; nodulosum 84, 436; oryzae 84; portulacae 84; ravenelii 84; resinae 678, 688; rostratum 84; sacchari 84; sativum 77, 84-87, 436; setariae 84; sorokinianum 77; stenospilum 84, 85; teres 84; victorae 84
- Helotium 833; aeruginosum 299; midlandense 837; naviculaporum 837; **quercifolium** 834-836, 837; sparsum 837
- Hemileia 520
- Hemimycena 381, 382; crispula 381; pseudocrispula 381; **subtropicalis** 377, 381, 382
- Herpobasidium 520; filicinum 520
- Heterochaete 550, 561; burtii 543, 544, 549, 550; kneiffiopsis 550; sublivida 550
- Heterochaetella dubia 544, 560
- Heterosporium terrestre 499
- Hexagona 51
- Histoplasma 227, 230, 234, 902; capsulatum 65-68, 227, 230, 231, 910; capsulatum var. duboisii 230
- Hormiscium 433; stilbosporum 436
- Hormodendrum 432-434, 438; cladosporioides 436; hordei 436; nigrescens 436; olivaceum 436; pallidum 436; resinae 436; viride 436
- Humaria 457, 460, 611, 612, 624; hemisphaerica 631, 634; scutellata 623; **subreticulata** 459; umbrorum 626
- Humariella 611, 612; scutellata 623
- Humarina 457, 463; **indica** 462, 463
- Humicola 432-434, 438, 503; alopallonnella 873; brevis 436; fusco-atra 499, 503
- Hyalopora 519
- Hyalopus 436
- Hydnum farinaceum var. luxurians 558
- Hypomyces 114
- Illosporium 875
- Inocybe 533; chelanensis 533; rainierensis 533; **texensis** 532
- Iola javensis 520
- Isaria 684
- Itersonilia perplexans 133
- Jafnia 611
- Keratinomyces ajelloi 69
- Kunkelia nitens 133
- Laccaria 375-378; stirps Laccata 375; laccata 376, 377; laccata var. montana 378; laccata var. proxima 375-378; laccata var. rosella 377; ohienensis 377; proxima 377; proxima var. bicolor 377; tetraspora 377
- Lachnea 605, 611, 624, 626, 630; asperima 619, 631; balnei 623, 625; barbata 618, 619, 630, 631; cervicolor 631; chrysotricha 631; hirta 624; lusitiae 623; rubropurpurea 634; scutellata 623; sequoiae 633; setosa 630; subcrinita 631; trechispora 616, 617; umbrorum 626; vitellina 631
- Lamprospora 457, 458, 611, 632; carbonaria 459; haematostigma 458; haematostigma var. gigantea 459; **mussooriensis** 457-459
- Lecanora dispersa 56, 58, 59
- Leccinum 573; aurantiacum 565, 573; chromapes 565; duriusculum 573; oxydabile 565, 566, 571, 572; scabrum var. roseofractum 571, 572; scabrum subsp. niveum 565, 572; scabrum subsp. scabrum 565, 566, 571; subglabripes 565; testaceoscabrum 565, 573
- Lentinus omphalodes 361; sajor-caju 54
- Leocarpus fragilis 159
- Leptomitium lacteus 854
- Leucoloma asperior 632
- Leucoscypha 611
- Lignicola 873; laevis 138-142
- Lulworthia 141, 873; floridana 138-142; grandispora 138-142; medusa var. biscaynia 138-142
- Lycoperdon cervinus 365
- Macrophomina phaseoli 505
- Macrosporium 401; cladosporioides 436; cucumerinum 402, 403, 406, 407
- Marasmiellus 381, 587; sect. Xanthophylli 380, 381; crispula 382; icterinus 380; lactea 382; subchrysophyllus 380; stuckertii 380
- Marasmius 379; cyathiformis 380; niveus 382; podocarpus 379
- Masonia 782
- Masoniella chartarum 859, 860

- Mastigosporium 729-733; calvum 729; **heterosporum** 731-733; rubricosum 729, 731
- Melanthea 743, 748; aggregata 742, 743, 748, 749; cruenta 743, 748, 749
- Melastiza 460, 609, 611, 621; asperrima 609, 617, 619, 621; charteri 607, 609, 621; pennsylvanica 609, 619
- Melastiziella 621; asperrima 617; pennsylvanica 619
- Meliola 686
- Menispora 506
- Merulius lacrimans 693
- Metarrhizium 504; anisopliae 499, 504
- Micromphale 299
- Microsporium 69-76, 642, 902; audouini 65-68, 71, 903-912; canis 71, 75; **cookei** 70, 71-75; distortum 71; gypseum 69, 71, 73, 74, 446, 671; nanum 71
- Midotis 833-836; **indica** 833-837; occidentalis 835
- Milesina 519
- Mitruia paludosa 362
- Monascus purpureus 858-862; ruber 858
- Monilia brunnea 436; humicola 436
- Morchella 356-363; crassipes 356, 359, 360, 362; esculenta 356-362
- Mortierella 180; pusilla 826-831
- Mucor 173, 174, 178, 183, 184, 187, 432-434, 438, 498, 504, 751, 761, 855; abundans 436; christianiensis 436; circinelloides 436; flavus 858, 862; fragilis 436, 858, 860; globosus 436; griseocyanus 436; hiemalis 436; heterogamus 188-190; jansseni 858; luteus 436; moelleri 180, 184; neglectus 188, 190; nitens 753, 755; phycomyces 753, 757; racemosus 436, 858, 862; ramanianus 828-830, 858; romanus 753, 757; silvaticus 437, 498, 504; spinescens 828; varians 437; violaceus 753, 757
- Mycena 381; stirps Alcalina 385; **aconquijensis** 382; alcalina 384-386; anastomosans 390; austinii 377, 383; **austroalcalina** 377, **384**; chlorinella 386; cinerella 387; **februari** 386, 387; glutinosa 383; **heroica** 377, **387-389**; humilis 377, 384-386; insignis 382; margarita 384; niveipes 386; roseocandida 389; **sosarum** 389, 390; violacella 390
- Mycoderma vini 326
- Mycogone 98
- Mycolachnea 612
- Mycosphaerella **botrychii** 297; citrulina 502; tulipifera 416
- Mycotypha microspora 824-831
- Myrillium 665; myriosporus 671
- Myrothecium 500, 504; roridum 499, 504; verrucaria 500, 504
- Myxobacter simplex 2, 3
- Myxotrichella 677, 684; cancellata 677, 685; fusca 677, 686; glauca 677, 686; murorum 677, 684; ochracea 685; rara 677, 684, 685; spelaea 677, 684
- Myxotrichum 665, 669-688; aeruginosum 669, 676-681, 686, 687; affine 687; aurantiacum 675, 685; bicolor 687; brunneum 684; caesium 685; caltrop 681; cancellatum 685; carminoparum 678-680; chartarum 676-679, 686; chlorinum 682; conjugatum 678, 683, 684; coprogenum 668, 669, 677, 685; coprogenum var. malacense 668, 669, 685; deflexum 669, 677, 680, 681, 685; emmonsii 678, 683; foliicolum 678, 686; fuscum 677, 686; glaucum 686; johnstoni 677, 678, 682; molle 686; murinum 687; murorum 677, 684; ochraceum 668, 669, 677, 680, 681, 685-687; ochraceum *coprogenum 668, 669; patulum 687; racovitzae 671; rarum 677, 685; resinae 676-678, 688; setosum 667; simile 687; spelaeum 677, 684; spinosum 678, 681; thaxteri 678, 683; uncinatum 676, 678, 681, 682; unicolor 687
- Naematoloma laticolor 580
- Neurospora 114, 115, 118, 237-247, 362, 425; crassa 86; sitophila 426; tetrasperma 132, 133, 237, 246
- Nia** 872, **874**; **vibrissa** 874, 875
- Oidium 97; camenberti 595; chartarum 679; lactis 595
- Omphalia 381; austini 383; bruchii 380; subchrysophylla 380; stuckertii 380
- Omphalina cyathiformis 380; euomphalus var. lutea 380; subchrysophylla 380
- Omphalopsis austini 383
- Oncidium 676; chartarum 677, 679
- Oospora 433; variabilis 437
- Ophiobolus graminis 693
- Orbimyces 872, 875
- Oscarbrefeldia 331
- Paecilomyces 507, 782, 783, 785; variota 859, 862
- Panaecolus 49, 50; campanulatus 49; venenosus 49, 50
- Papularia 504; arundinis 500, 504
- Paracoccidioides 236; brasiliensis 228, 233, 234
- Patella 605, 611, 612; erinaceus 627, 630; lusitanae 623; scutellata 623; sequoiae 633; setosa 627, 628, 630; umbellorum 626
- Penicillium 198, 372, 432-434, 438, 500, 502, 504, 510, 675, 873, 889; atramentosum 500; baarnense 437; brevcompactum 437; canadense 437; canescens

- 437; chermesinum 500; chrysogenum 115, 437, 859; commune 437; coryophilum 437; crustosum 859; cyclopium 859; daleae 437; decumbens 437; duclauxii 437, 500, 859; expansum 500, 504, 859, 862; frequentans 500, 859, 860; funiculosum 437, 500; gladioli 500; godlewskii 437; herquei 500, 859; implicatum 500; janthinellum 500, 504, 859; lanosum 437; luteum 675; namyloewskii 437; nigricans 500; notatum 437, 859; oxalicum 437, 500, 504, 505, 509, 510, 859; palitans 437; piscarium 500; purpurogenum 859; restrictum 500; roqueforti 437; rugulosum 437, 500; steckii 437, 500, 504; stoloniferum 437; sublateritium 500; tardum 437; thomii 437, 500, 859, 860; urticae 500; variabile 500; vermiculatum 858, 860
- Periconia 757; phycomyces 753, 757
- Peritrichospora 873; integra 139, 141
- Pestalotiopsis 505; macrotricha 500, 505
- Peyronellaea 772-778; conidiogena 773; fumaginoides 773; glomerata 772-775; hominis 773; prunicola 773
- Peziza 611, 612, 624, 626; subg. Scutellinia 612; asperior 616, 617, 632; bulgarioides 298; erinaceus 611, 627; hemisphaerica 612; laeticolor 632; lusitiae 623, 625; scutellata 612, 613, 623, 625; sequoiae 633; setosa 624, 629, 631; trechispora 609, 612, 616, 617; umbrarum 627; umbrorum 626; umbrosa 626; vitellina 628
- Pezizella jaapii 837
- Phacopsora 513, 526
- Phaeomarasmius **gregarius** 585, 586
- Phaeomycena 380; macrospora 380
- Phallus impudicus 759
- Phialophora 903
- Pholiota sect. **Glutinigeræ** 586; aurivella 585; **glutinigera** 585, 586
- Phoma 433, 500, 505, 772, 779; glomerata 772; hibernica 437, 859
- Phragmidium 524, 526
- Phragmopyxis 210
- Phycomyces 751-753, 761, 769; blakesleeanus 751-753, 757-766, 769; microsporus 751, 753, 760, 761, 769; nitens 752-769; nitens var. piloboloides 759, 760; nitens var. plicans 759, 760; pirotianus 753, 757, 769; spinulosus 761, 762, 769; splendens 752, 753, 757; theobromatus 756
- Phyllachora filicina 296
- Phyllogloea** 840; **javanica** 841; **singeri** 840, 841, 842, 844
- Phylloporus 575-577; rhodoxanthus subsp. albomycelinus 564
- Phyllosticta 772
- Physarella oblonga 160
- Physarum auriscalpium 598; bivalve 160; bogoriense 160; cinereum 300; echinosporum 160; pusillum 598; **retisporum** 159, 160
- Physoderma 157; alfalfae 157; menyanthi 157; lycopii 157; pulposum 151-158
- Physopella 513, 526
- Picomphale 298, 299; bulgarioides 299
- Pichia 312
- Pilobolus 754, 760
- Piptocephalis 751, 824; virginiana 824-832; xenophila 824
- Piricauda 302; arcticocanorum 873; chartarum 301, 302; quadrata 302; sarkara 302; **scorobylos** 301, 302
- Platycarpa polypodii 520
- Platyglœa 94-96, 841; **abditæ** 94-96; arrhytidiae 94; disciformis 95, 96; fungicola 95; javanica 840, 841; miedzyrzecensis 95; peniophorae 94
- Pleurage anserina 416
- Podangium 168; **alboracemum** 165, 167-169, 171; **cylindricum** 165, 166, 167, 171; erectum 167
- Polyangium 1, 5, 8; ochraceum 1, 3; simplex 1, 2
- Polyporus betulinus 54, 609; cinnabarinus 465-473; eucalyptorum 52; portentosus 52, 54; sanguineus 465-473; squamosus 54; sulphureus 54
- Porphyrellus 577; gracilis 564; pseudoscaber 564
- Proto-Gymnosporangium 524
- Psalliotæ campestris 117
- Psathyrella 392; candolleana 540; cinereum 540; coronata 540; hymenoccephala 540; hymenoccephala var. **farinacea** 539; **kellermanii** 392; **macquariensis** 389, 392; saccharionophilum 540
- Pseudoarachniotus 672, 675, 869; roseus 673
- Pseudohydnum gelatinosum var. **paucidentata** 846
- Pseudonectria 498, 505; diparietospora 505
- Pseudopyrenula tropica 744
- Psiloboletinus 591
- Psilocybe 49, 50, 582; albofimbriata 582; **alnetorum** 583, 585; caeruleus 49, 50; cubensis 49; **longinqua** 578; **peruviana** 583, 585; **pteridophytorum** 582; **squarrosipes** 580, 581
- Puccinia 210, 249, 512-518, 524-526; sect. Bullaria 514-517, 523; sect. Eupuccinia 514-517, 523-525; amiciae 219; amorphae 214; antarctica 226; arisanensis 223; bithynica 600; caulicola 601; coronata 516-522; coronifera 516; daleae 216; delicatula 600; digna 522; eysenhardtiae 216; farina-

- cea 601; farinacea var. azurea 599, 601; fraxini 225; graminella 522; graminis 517, 522-524; himalayensis 516; magellanica 226; mellifera 599, 600; mesnieriana 516; **monardae** 599, 600; naumanniana 226; nissoliae 219; petalostemonis 222; schweinfurthii 516; steudneri 213; stolpiana 226
- Pullularia** 505; pullulans 437, 500, 505, 859, 862
- Pulveroboletus** 591; flaviporus 585, 591-593
- Pyrenophora** secalis 84
- Pyrenula** aggregata 748; cruenta 749; gaudichaudii 744; tropica 744
- Pyronema** confluens 796
- Pythium** 432-434, 438, 815; aphanidermatum 437; debaryanum 811, 812; elongatum 437; intermedium 437; proliferum 437; pulchrum 437; rostratum 437; scleroteichum 789; ultimum 437, 803, 806; vexans 437
- Rhacodium** aterrinum 688; resinae 678
- Rhizoctonia** 693; solani 437
- Rhizomorpha** subcorticalis 695; subterranea 695
- Rhizopogon** 364-367; roseolus 364, 367
- Rhizopus** 108, 433, 444, 505, 851; arrhizus 437, 498, 505, 760, 858, 862; cohnii 437; nigricans 437, 828, 854, 858, 862; nodosus 858; oryzae 437, 851-854, 858, 860; stolonifer 498, 505, 858
- Rosellinia** 498, 505
- Russula** 578; sect. Decolorantes 572
- Rutstroemia** 833, 839; boliviana 839; corneri 839; petiolorum 839; **sepiacea** 834-837, 838; sydowiana 839
- Sabouraudites** gypseus 671
- Saccharomyces** cerevisiae 858
- Saccharomycopsis** guttulata 318-328
- Sagedia** tropica 744
- Sarcoscypha** 623
- Sartorya** 414
- Saturnomyces** humicola 42
- Scheleobrachea** 300-302; echinulata 301, 302; maydica 302; philippina 302; quadrata 302; sacchari 302
- Schizophyllum** 115, 118, 119, 474, 476; alneum 474; commune 132, 474-476; fasciatum 474; umbrinum 474-476
- Scleroderma** 365
- Scopulariopsis** brevicaulis 859, 862
- Scutellinia** 605-635; **armatospora** 613, 614, 617, 620; asperior 632; asperrima 607, 613, 617-621, 631; coprinaria 633; dalmeniensis 633; erinaceus 610, 611, 613, 615, 620, 627-631; gilva 633; laeticolor 632; lusitiae 623; melaloma 633; **pennsylvanica** 613, 619-621; pulcherrima 633; scubalonta 633; scutellata 606-626, 629, 632; sequoiae 633; stenosporma 622, 623; stercorea 633; thelebolioides 633; trechispora 610, 613-617, 620; umbrarum 614, 620, 621, 626, 627; umbrorum 626, 634; **verrucipolaris** 614, 620, 621-623; vitellina 633
- Sebacia** 541, 542; subg. Bourdotia 545; aspera 543, 544, 550; caesio-cinerea 552; calcea 542; carneola 560; cinerea 552; cinerella 552; diminuta 555, 557; eyrei 555, 557; galzinii 541, 545, 546; grandinioides 558; lactescens 546; minima 544, 560; mucedinea 560; obscura 542-544, 559, 560; petiolata 547; pini 543, 544, 551; pululahuana 546; punaauiae 561; rimosa 552; spinosa 543, 544, 555; umbrina 561
- Sepedonium** 437; chrysospermum 437
- Sepultaria** rubropurpurea 634
- Solenia** 115; anomala 114
- Sordaria** fimicola 111
- Spermatodium** aggregatum 748; tropicum 744
- Sphaerella** botrychii 297
- Sphaeronaema** 437
- Sphaerospora** 609, 612; asperior 632; brunnea 610; perplexa 632; trechispora 616, 617
- Sphaerosporula** 612; asperior 632; trechispora 617
- Sphaerostilbe** repens 693
- Sphaerotheca** fuliginea 708, 710
- Spicaria** 433, 507; divaricata 437; griseola 437; silvatica 437; simplicissima 437; violacea 647-655, 853
- Spondylocladium** australe 437; xylogenum 438
- Sporidesmium** 734; bakeri var. bakeri 301; concinnum 734; echinulatum 300, 301; minutissimum 736; moriforme 736; moriforme subsp. corticolum 735; moriforme var. ampelinum 737; opacum 738; rauii 736, 738; triglochinis 738; vogelianum 738
- Sporodinia** grandis 133
- Sporotrichum** 505, 723, 724; carnis 642; chartaceum 679; poae 714; pruinatum 438, 501, 505; schenckii 65-68
- Stachybotrys** atra 438, 873
- Stagonospora** 501, 505
- Stelangium** 164; muscorum 164; **vitreum** 163-166, 171
- Stemonitis** brasiliensis 598; mussooriensis 598
- Stemphylium** 370, 373, 433; botryosum 438, 859, 860; macrosporoideum 438; verruculosum 438
- Stereolachnea** 611, 612
- Stereostroma** 513, 526

- Stereum murraini* 143
Stilbospora chartarum 679
Streptomyces 9-17, 125-131, 859, 862;
cyaneus 10, 125, 129; *griseus* 9, 11,
 12, 15, 17, 125-130, 894; *olivaceus*
 10-12, 15, 17, 125, 129; *venezuelae*
 125, 129, 130
Strobilomyces 577; *floccopus* 564
Stromatinia 114
Stromatothelium cruentum 749
Stropharia semiglobata 586
Stylopaga rhynchosporea 801, 818, 819
Stysanus 501, 505
Suillus 590, 591; sect. *Larigni* 591;
 subsect. *Hirtellini* 570; *acidus* 564-
 566; *americanus* 564, 567, *cembrae*
 570; *cothurnatus* 564, 566, 568; *granu-*
latus 565; *granulatus* subsp. *snellii*
 564; *grevillei* 570; *lithocarpi-se-*
quoiae 581, 589, 591; *luteus* 564;
piperatus 564, 571; *placidus* 564, 568;
punctipes 564; *ruber* 570; *rubinus*
 571, 591; *subaureus* 564, 567, 568,
 571; *subluteus* 564, 565, 568; *tomen-*
tosus 570
Syncephalastrum racemosum 828
Syncephalis 751
Synchytrium brownii 151, 157; endo-
 bioticum 157; *fulgens* 157
Talaromyces 675; *luteus* 675
Tetracoccoporium 438; *paxianum* 438
Thamnidium elegans 826, 828, 831
Thielavia 505; *basicola* 498, 505
Thielaviopsis basicola 371
Tillachlidium 438; *humicola* 438
Tilletia 477; *caries* 657-662; *contraversa*
 477-491, 656-664
Torpedospora 872, 873; *radiata* 138, 141,
 142
Torula 673; *lucifuga* 438
Torulopsis glabrata 326; *pintolopesii*
 326
Trabutiella filicina 296
Tremella fuciformis 846; *lutescens* 847;
pululahuana 546
Tricharia 611; *gilva* 633
Trichoderma 433, 505; *koningi* 859, 862;
lignorum 859; *viride* 501, 505
Tricholoma albobrunneum 375; *stans*
 375
Trichophaea 609, 611, 632; *erinaceus*
 627, 629
Trichophyton 642, 902; *mentagrophytes*
 65-68, 75, 361, 440-452, 910; *rubrum*
 65-68, 902-912; *terrestre* 641
Tritirachium 507; *album* 859
Truncatella 501, 506
Trypethelium 743, 745; *carolinianum*
 743; *cruentum* 749; *eluteriae* var.
virens 746; *fœci* 743; *mastoideum* 743,
 745, 749; *scoria* 743; *scorites* 743,
 745, 747, 750; *tropicum* 743-746, 749;
virens 743, 745-747, 749
Tylopus felleus 564
Ulva nitens 752
Uredinella coccidiophaga 520
Uredinopsis 519
Uredo kansensis 214; *stolpiana* 226
Urocystis tritici 245
Uromyces 513-515, 525, 526; *pencanus*
 522
Uropyxis 210-226, 524; *affinis* 222, 223;
amiciae 211, 217-219; *amorphae* 210-
 215; *antarctica* 226; *arisanensis* 211,
 221, 223, 224; *daleae* 211, 212, 216,
 217; *daleae* var. *africana* 217; *daleae*
 var. *eysenhardtiae* 216; *diphysae* 211,
 212, 214, 220; *eysenhardtiae* 216, 217;
farlowii 211, 221, 222; *fraxini* 225;
gerstneri 225; *holwayi* 211, 218, 220;
naumanniana 226; *nissoliae* 211, 218,
 219; *petalostemonis* 211, 221-223;
reticulata 210, 211, 221, 224, 225;
rickiana 210, 211, 221, 225; *roseana*
 225; *steudneri* 211-214; *steudneri* var.
rhodesica 212, 213; *stolpiana* 226;
wiehei 211, 218, 220
Verrucaria aggregata 748; *gaudichaudii*
 744; *scorites* 747; *tropica* 744
Verticillium albo-atrum 506; *terrestre*
 859
Xanthoconium affine 565
Xerocomus 575-577; *badius* 564, 577;
chrysenteron 564, 573, 575, 577; *il-*
ludens 564; *subtomentosus* 564; *trun-*
catus 573, 575; *zelleri* 575
Xerotus 51-55; *afær* 51-55
Zoopage 797; *mitospora* 821; *pachy-*
blasta 809; *phanera* 793; *thamnospora*
 817; *virgisporea* 817
Zygorhynchus 173-194; *bernardi* 180,
 184; *californiensis* 175, 177, 185-187,
 193; *circinelloides* 180, 184; *dangeardi*
 180, 183, 192; *exponens* 175-180, 187,
 193; *exponens* var. *smithii* 175, 176,
 179, 193; *griseo-cinereus* 181, 184,
 185; *hennebergii* 173, 193; *hetero-*
gamus 173, 175, 182, 186-192; *japoni-*
cus 177, 187, 192; *macrocarpus* 175,
 191-193; *moelleri* 173, 177, 178, 180-
 185, 190, 193; *phosphoreus* 188, 190;
polygonosporus 177-179; *verruculo-*
sus 173, 181, 185; *viridis* 180, 184;
vuilleminii 180, 183, 184, 193, 828;
vuilleminii race *agamus* 180, 183;
vuilleminii var. *albus* 181, 183; *vuil-*
lemirii var. *dangeardi* 181, 183



MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LI, 1959

CONSISTING OF VI + 927 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. JANUARY-FEBRUARY

A monocystic genus of the Myxobacterales (Schizomycetes), JOHN E. PETERSON	1
Host-selected variation in <i>Streptomyces</i> phage, S. GAYLEN BRADLEY	9
Genetics of <i>Cochliobolus heterostrophus</i> . I. Variability in degree of compatibility, R. R. NELSON	18
Genetics of <i>Cochliobolus heterostrophus</i> . II. Genetic factors inhibiting ascospore formation, R. R. NELSON	24
Some studies of <i>Emericellopsis</i> , L. W. DURRELL	31
The influence of environment upon germination and longevity of aeciospores and urediospores of <i>Coleosporium solidaginis</i> , CHARLES L. FERGUS	44
Clinical observations on the effects of <i>Panaeolus venenosus</i> versus <i>Psilocybe caeruleus</i> mushrooms, SAM I. STEIN	49
Note on <i>Xerotus afer</i> Fr., MARIA ENEYDA PACHECO KAUFFMANN FIDALGO ...	51
A contribution toward lichen synthesis, VERNON AHMADJIAN	56
Survey of surface-active culture additives for growth of pathogenic human fungi, R. M. MARWIN	61
A new <i>Microsporum</i> and its occurrence on soil and on animals, LIBERO AJELLO	69
<i>Cochliobolus sativus</i> . II. Photo-activated pigmentation, R. D. TINLINE AND D. J. SAMBORSKI	77
Notes and Brief Articles	89
Reviews	99

No. 2. MARCH-APRIL

Sexual versatility and evolutionary processes in fungi, JOHN R. RAPER	107
Cross-resistance patterns of mutants resistant to <i>Streptomyces</i> phages, S. GAYLEN BRADLEY	125
Genetics of <i>Cochliobolus heterostrophus</i> . III. Genetic factors inhibiting ascus formation, R. R. NELSON	132
Effects of wood and wood products on perithecial development by lignicolous marine ascomycetes, SAMUEL P. MEYERS AND E. S. REYNOLDS	138
Lyophilization of the Actinoplanaceae, CHARLES E. MILLER AND JOHN N. COUCH	146
Sexuality in <i>Physoderma pulposum</i> Wallroth, YAMUNA LINGAPPA	151
The Myxomycetes of the Mussoorie Hills (India), G. W. MARTIN, K. S. THIND, AND P. S. REHILL	159
New species of Myxobacteria from the bark of living trees, JOHN E. PETERSON	163
The genus <i>Zygorhynchus</i> , C. W. HESSELTINE, C. R. BENJAMIN, AND B. S. MEHROTRA	173
Homothallism in an undescribed species of <i>Cochliobolus</i> and in <i>Cochliobolus kusanoi</i> , E. S. LUTTRELL AND CLARK T. ROGERSON	195

A new species of <i>Absidia</i> from California, G. F. ORR AND O. A. PLUNKETT . . .	203
A monograph of the genus <i>Uropyxis</i> , JOHN W. BAXTER . . .	210
Fungus nuclei in the diagnosis of mycoses, CHESTER W. EMMONS . . .	227
Activation of <i>Neurospora</i> ascospores by organic solvents and furans, A. S. SUSSMAN, R. J. LOWRY, AND E. TYRRELL . . .	237
Studies on the isolation and growth of plant rusts in host tissue cultures and upon synthetic media. I. <i>Gymnosporangium</i> , VICTOR M. CUTTER, JR. . .	248
Notes and Brief Articles . . .	296
Reviews . . .	303

No. 3. MAY-JUNE

Penetration and invasion of <i>Ceratocystis piceae</i> in white oak wood, CHARLES L. WILSON . . .	311
Nutritional requirements of <i>Saccharomycopsis guttulata</i> (Robin) Schiöningg, M. SHIFRINE AND H. J. PHAFF . . .	318
A comparative morphological and physiological study of the species of <i>Dipodascus</i> , LEKH R. BATRA . . .	329
Wood extract and growth of <i>Morchella</i> , WILLIAM J. ROBBINS AND ANNETTE HERVEY . . .	356
Subterranean <i>Elaphomyces</i> and <i>Rhizopogon</i> in the Michigan jack-pine region, WILLIAM T. GILLIS . . .	364
Modifications of the cellophane culture technique for photographing and preserving reference colonies of microorganisms, W. T. KONDO, S. O. GRAHAM, AND C. G. SHAW . . .	368
New and interesting species of Basidiomycetes. VI, ROLF SINGER . . .	375
Morphology and taxonomy of <i>Alternaria cucumerina</i> , CURTIS R. JACKSON AND GEORGE F. WEBER . . .	401
The ascocarps of <i>Aspergillus alliaceus</i> , DOROTHY I. FENNELL AND J. H. WARCUP . . .	409
Spermatium-trichogyne relationship in <i>Gelasinospora calospora</i> var. <i>auto-streia</i> , ROGER D. GOOS . . .	416
On the fungal flora of Iraqi soils. II. Central Iraq, YOUSEF AL-DOORY, M. K. TOLBA, AND H. AL-ANI . . .	429
Pleomorphism in the dermatophytes, G. N. BISTIS . . .	440
An isolate of <i>Fusarium roseum</i> from human burns, JOHN E. PETERSON AND THOMAS J. BAKER . . .	453
The Pezizaceae of the Mussoorie Hills (India)—VII, K. S. THIND, EDITH K. CASH, AND PRITAM SINGH . . .	457
Cultural basis for maintaining <i>Polyporus cinnabarinus</i> and <i>Polyporus sanguineus</i> as two distinct species, HAZEL H. MCKAY . . .	465
Notes and Brief Articles . . .	474

No. 4. JULY-AUGUST

The effects of various reagents, mounting media, and dyes on the teliospore walls of <i>Tilletia contraversa</i> Kühn, SHIRL O. GRAHAM . . .	477
Filamentous fungi from blossoms, ovaries, and fruit of pickling cucumbers, F. L. RAYMOND, J. L. ETCHHELLS, T. A. BELL, AND P. M. MASLEY . . .	492

TABLE OF CONTENTS

V

Some viewpoints on the phylogeny of rust fungi. III. Origin of grass rusts, E. E. LEPPIK	512
The agaric flora of Texas. III. New taxa of brown- and black-spored agarics, HARRY D. THIERS	529
Studies of some Tremellaceae. III. The genus <i>Bourdodia</i> , KENNETH WELLS ..	541
Notes on boletes. XI, WALTER H. SNELL, ROLF SINGER, AND ESTHER A. DICK ..	564
New and interesting species of Basidiomycetes VII, ROLF SINGER	578
Notes and Brief Articles	595
Reviews	602

NO. 5. SEPTEMBER-OCTOBER

Some species of the genus <i>Scutellinia</i> , WILLIAM C. DENISON	605
A new halophilic species of <i>Eurotium</i> , C. M. CHRISTENSEN, G. C. PAPAIVAS, AND C. R. BENJAMIN	636
Isolation of a new species of <i>Aleurisma</i> from soil in Australia and New Guinea, D. FREY	641
Oxygen-uptake studies on glucose-grown and fatty-acid-exposed fungus cells, G. T. JOHNSON AND G. J. DIXON	647
Susceptibility of Gramineae to <i>Tilletia contraversa</i> , J. R. HARDISON, J. P. MEINERS, J. A. HOFFMANN, AND J. T. WALDIER	656
A preliminary survey of the Gymnoascaceae. II, HAROLD H. KUEHN	665
Stages of development in rhizomorphic thalli of <i>Armillaria mellea</i> , PHILIP J. SNIDER	693
Heterothallism in the lettuce strain of <i>Erysiphe cichoracearum</i> , W. C. SCHNATHorst	708
Evidence against <i>Fusarium poae</i> and <i>Sitotropha graminum</i> as causal agents of silver top of grasses, JOHN R. HARDISON	712
A new species of <i>Mastigospirium</i> from tropical soil, R. H. PETERSEN	729
The genus <i>Berkleasium</i> , ROYALL T. MOORE	734

NO. 6. NOVEMBER-DECEMBER

The Trypetheliaceae of Mississippi, G. T. JOHNSON	741
Studies on the genus <i>Phycomyces</i> , C. R. BENJAMIN AND C. W. HESSELTINE ..	751
The dictyochlamydospore of <i>Peyronellaea glomerata</i> (Corda) Goidanich ex Togliani contrasted with the dictyoporospore of <i>Alternaria tenuis</i> Auct., GEORGE M. LUEDEMANN	772
A new genus of the Moniliaceae, J. C. EDWARD	781
Several Zoopagaceae subsisting on a nematode and on some terricolous amoebae, CHARLES DRECHSLER	787
Factors affecting parasitism of <i>Piptocephalis virginiana</i> on other Mucorales, CHARLES R. BERRY	824
The Helotiales of the Mussoorie Hills—II, K. S. THIND, EDITH K. CASH, AND PRITAM SINGH	833
New or noteworthy Tremellales from Bolivia, BERNARD LOWY	840
The effect of various substances on the oxygen uptake of <i>Rhizopus oryzae</i> , YOUSUF AL-DOORY	851
The fungus flora of cattle feeds, R. D. BONNER AND C. L. FERGUS	855

Observations on Gymnoascaceae. VI. A new species of <i>Arachniotus</i> , HAROLD H. KUEHN AND G. F. ORR	864
Thalassiomycetes I. Principles of delimitation of the marine mycota with the description of a new aquatically adapted Deuteromycete genus. ROYALL T. MOORE AND SAMUEL P. MEYERS	871
On the biosynthesis of gibberellins from carbon-14-substrates by <i>Fusarium moniliforme</i> , GUNTER ZWEIG AND J. E. DEVAY	877
Microbiological production of carotenoids. VI. Some factors affecting sporulation and growth in the Choanephoraceae, C. W. HESSELTINE AND C. R. BENJAMIN	887
Induced dimorphism in dermatophytes, JOHN W. RIPPON AND GEORGE H. SCHERR	902
Index	915

SUSTAINING MEMBERS OF THE MYCOLOGICAL SOCIETY OF AMERICA

The Society is grateful for the support of its Sustaining Members. They are listed below in alphabetical order.

ABBOTT LABORATORIES

Pharmaceutical products for the medical profession since 1888
North Chicago, Illinois

BALTIMORE BIOLOGICAL LABORATORY, INC.

A division of Becton, Dickinson and Company
Products for the microbiological laboratory

BUCKMAN LABORATORIES, INC.

Industrial microorganism control specialists
Memphis 8, Tennessee

BUTLER COUNTY MUSHROOM FARM Incorporated

West Winfield, Pennsylvania

CIBA PHARMACEUTICAL PRODUCTS INC.

In the service of medical science
Summit, New Jersey

DIFCO LABORATORY PRODUCTS

The complete line of
microbiological reagents and media

THE FLEISCHMANN LABORATORIES

Standard Brands Incorporated

JOHNSON & JOHNSON

New Brunswick, New Jersey

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY

Antibiotic, biological and pharmaceutical research and manufacture
Pearl River, New York

ELI LILLY AND COMPANY

Pharmaceuticals, biologicals, and agricultural and industrial products
740 South Alabama Street, Indianapolis, Indiana

MILES LABORATORIES, INCORPORATED

Pharmaceutical and chemical research and manufacture
Elkhart, Indiana

NORWICH PHARMACAL COMPANY, EATON LABORATORIES DIVISION

Ethical pharmaceuticals
Norwich, New York

(Continued)

SUSTAINING MEMBERS OF THE MYCOLOGICAL SOCIETY OF AMERICA

(Continued)

ORTHO PHARMACEUTICAL CORPORATION

Obstetrical & gynecological products, biologicals
Raritan, New Jersey

CHAS. PFIZER & CO., INC.

11 Bartlett Street, Brooklyn 6, New York
Fine chemicals and pharmaceuticals by means of microorganisms

SCHERING CORPORATION

Pharmaceutical manufacturers
Bloomfield, New Jersey

THE SQUIBB INSTITUTE FOR MEDICAL RESEARCH

E. R. Squibb & Sons, Div. of Olin Mathieson Chemical Corporation
New Brunswick, New Jersey

ARTHUR H. THOMAS COMPANY

22,000 items of chemical and biological apparatus for immediate shipment
Vine Street at Third, Philadelphia, Pennsylvania

THE UPJOHN COMPANY

Fine pharmaceuticals since 1886
Kalamazoo, Michigan

